

L Number	Hits	Search Text	DB	Time stamp
36	1	("20020110328").PN.	US-PGPUB	2004/02/15 17:03
-	1592	((356/400) or (356/399)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 14:02
-	541	(359/159).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 00:58
-	364	(359/\$.CCLS.) and ((optical near1 fiber) near10 alignment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 14:13
-	697	(optical near1 fiber) near10 alignment and (epoxy and (bond or bonding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:26
-	273	(optical near1 fiber) near10 alignment and (optical near2 amplifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:27
-	607	(optical near1 fiber) near10 alignment and (optical near2 switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:30
-	6215	(optical near1 fiber) near10 alignment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:31
-	44809	385/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:32
-	63067	356/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:32
-	3278	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:32
-	688	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (pedestal or stop or standoff)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:32
-	1653	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (emitter or laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:32

-	189	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (integrated near2 optic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:33
-	399	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (pedestal or stop or standoff)) and (((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (emitter or laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:33
-	10	"5621837"	USPAT	2003/01/08 15:33
-	733	(156/297).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:35
-	454	(156/298).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:35
-	560	(156/299).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	383	(156/300).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	14	(optical near1 fiber) near10 alignment and (emitter near3 chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	83	(optical near1 fiber) near10 alignment and (standoff)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	2	(optical near1 fiber) near10 alignment and (wavelength near2 stabilizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	36	(optical near1 fiber) near10 alignment and (feedback near3 grating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	119	(optical near1 fiber) near10 alignment and (epoxy near10 (bond or bonding)) and (cure or curing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	107	(optical near1 fiber) near10 alignment and (solder near10 (bond or bonding)) and (flow or flowing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36

-	4	(optical near1 fiber) near10 alignment and (electrically near3 conductive near3 paste)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 21:11
-	4	(optical near1 fiber) near10 alignment and (electrically near6 (conductive near3 paste))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	16	(optical near1 fiber) near10 alignment and (optical near2 amplifier) and (pump near4 energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	13	(optical near1 fiber) near10 alignment and (mode near3 converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	2	"6298027"	USPAT	2003/01/08 15:36
-	65	(optical near1 fiber) near10 alignment and (power near3 monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:36
-	119	(optical near1 fiber) near10 alignment and (epoxy near10 (bond or bonding) and (cure or curing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:37
-	16	(optical near1 fiber) near10 alignment and (optical near2 amplifier) and (pump near4 energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 11:21
-	6	(optical near1 fiber) near10 alignment and (controllable near4 (optical near2 switch))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38
-	47	(optical near1 fiber) near10 alignment and (polarization near3 coupler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38
-	9	(integrated near6 (optics near2 chip)) and fiber and alignment and (polarization near3 coupler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38
-	5	(optical near2 receiver) and (optical near2 emitter) and chip and standoff and (mount or base or submount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38
-	2	(optics near2 chip) and (optical near2 emitter) and standoff and (mount or base or submount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38

-	10	(optical near2 chip) and (optical near2 emitter) and standoff and (mount or base or submount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:38
-	1065	(356/401).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:39
-	30	((356/401).CCLS.) and ((optical near1 fiber) near10 alignment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:39
-	34	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (pedestal or stop or standoff)) and (((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (integrated near2 optic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:39
-	146	((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (emitter or laser)) and (((optical near1 fiber) near10 alignment) and (385/\$.ccls. or 356/\$.ccls.) and (integrated near2 optic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 15:39
-	1060	(156/64).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:22
-	2	((156/64).CCLS.) and sato.in.	USPAT	2003/01/09 17:25
-	0	156/\$.ccls. and optoelectronics and (compliant near3 chuck) and (bond or bonding)	USPAT	2003/01/09 17:26
-	0	156/\$.ccls. and opto-electronics and (compliant near3 chuck) and (bond or bonding)	USPAT	2003/01/09 17:26
-	0	156/\$.ccls. and opto-electronics and (compliant near3 chuck)	USPAT	2003/01/09 22:35
-	3	156/\$.ccls.and (compliant near3 chuck)	USPAT	2003/01/09 17:27
-	21	(optical near1 fiber) near10 alignment and (electrically near3 conductive near3 (bond or bonding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 21:11
-	82	156/\$.ccls. and (press or pressing or compressing) and deform\$ and (optical near2 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 00:55
-	225	(optical near2 detector) and array and (optical near1 fiber) near10 alignment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 00:57
-	1141	(372/6).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 00:58
-	57	(optical near2 detector) and (detector near3 array) and (optical near4 array) and (optical near1 fiber) near10 alignment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 00:59

-	138	(optical near1 fiber) near10 alignment and (directional near3 coupler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 15:57
-	553	(optical near1 fiber) and (multiplex or demultiplex) and (directional near3 coupler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 11:57
-	132	(optical near1 fiber) and (multiplex or demultiplex) and (directional near3 coupler) and (semiconductor near2 laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 11:57
-	160	(optical near1 fiber) near10 alignment and (optical near3 switch) and chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:29
-	17	(optical near1 fiber) near10 alignment and (second near2 submount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:36
-	0	(optical near1 fiber) and (second near2 submount) and (thermal near2 compensation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:38
-	0	(second near2 submount) and (thermal near2 compensation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:40
-	12	(second near2 mount) and (thermal near2 compensation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:42
-	157	(submount or mount) and (thermal near2 compensation) and (optical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 14:43
-	48	((optical near1 fiber) near10 alignment) and (polarization near3 coupler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 16:07
-	10	(optical near2 assembly) and (polarization near3 coupler) and (polarization near4 orthogonal) and ((optical or optic) near2 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 16:10